


## KITCHEN DRAWER POT BASKET INSTALLATION INSTRUCTION



### 01/Environmental Impact Statement

Protecting the environment and eliminating pollution is everyone's responsibility!


We kindly inform you of the potential environmental impacts that our products may cause during use.

1. Recyclable items such as cardboard and plastic should be disposed of in designated recycling bins after use.
2. Used batteries and other contaminating waste should be disposed of in designated recycling bins, avoiding littering.

### 02/Packing List

No.	Name	PO6285-600	PO6285-700	PO6285-800	PO6285-900
1	Kitchen drawe pot basket	1 set	1 set	1 set	1 set
2	Undermount slides	1 pair	1 pair	1 pair	1 pair
3	Long divider strips	1 pc	1 pc	1 pc	1 pc
4	Divider panel	4 pcs	4 pcs	4 pcs	4 pcs
5	Decorative cover	2 pcs	2 pcs	2 pcs	2 pcs
6	Screws pack	1 pack	1 pack	1 pack	1 pack
7	Certificate/Instructions	1 pc	1 pc	1 pc	1 pc
8	Paper installation clamp	2 sets	2 sets	2 sets	2 sets

## 03/Component Names



## 04/Product Technical Parameters

No.	PO6285-600	PO6285-700	PO6285-800	PO6285-900
Product size	564 × 515 × 186	664 × 515 × 186	764 × 515 × 186	864 × 515 × 186
Carton size	630 × 552 × 213	730 × 552 × 213	830 × 552 × 213	930 × 552 × 213
Net weight	≈ 7.5	≈ 8.1	≈ 8.5	≈ 9.2
Gross weight	≈ 8.8	≈ 9.5	≈ 10.1	≈ 10.9
Material/surface treatment	Metal parts: Aluminum/fluorocarbon spraying Plastic parts: ABS			
Implementation Standards	GB/T 10125			

## 05/Installation Precautions



Warning: To prevent accidents, installation must be performed by qualified professionals. Read instructions thoroughly before installation.

1. Please read the installation instructions carefully before installation.
2. To ensure the basket's performance, ensure the slide rails are installed according to the standard cabinet hole arrangement. Otherwise, the basket may not be able to be extended smoothly or the storage space may be inadequate.
3. Ensure the slide rail hooks are properly installed. Otherwise, the basket may become loose or make unusual noises during use.
4. To ensure a smooth installation, please use only the included accessories. Failure to do so may result in a failed installation.

## 06/Cabinet Installation Requirements

1. Please refer to the diagram below for cabinet installation dimensions (the default mounting plate thickness is 18mm. For 16mm thick plates, 2mm spacers must be installed on both sides of the rails).



800mm Cabinet Product Dimensions:



## 07 / Product Installation Instructions



### 1. Slide Rail Installation:

- (1) Use the slide rail installation template to drill holes according to the diagram.
- (2) Install the slide rail make it fits snugly against the cabinet side panels.





### 2. Basket Installation:

- (1) Slide the basket parallel to the slide rails as shown in the diagram.
- (2) Attach the slide rail hook to the rear end of the basket.





### 3. Door Panel Installation and Adjustment:

- (1) Use the door panel installation template to drill holes according to the diagram.
- (2) Push the fixed end caps inward from both ends of the divider strip to unlock the caps and remove the divider strip.




### 4. Door Panel Installation & Adjustment:


- (1) Remove the divider strip, then secure the door panel using screws.
- (2) Adjust the left/right and up/down guide screws to align the door panel vertically and horizontally.
- (3) Tighten all door panel screws after alignment, then reinsert the divider strip into the basket frame.



Left & Right adjustment




Up & Down adjustment



## 5. Product Testing:

- (1) Press the decorative cover flush against the side and bottom edges, then push forward to snap into the sheet metal component. An audible "click" indicates installation is complete.
- (2) Test the slide rail smoothness to confirm proper installation.



## 08 / Daily Care and Maintenance

1. Use within weight capacity (Max. load  $\leq 30$  kg).
2. Keep the pull-out basket clean; regularly remove stains.
3. Avoid liquid splashing onto slide rails to ensure proper functioning and prolong service life.
4. Avoid contact with acids or alkalis. If spills occur (e.g., soy sauce, salt), clean promptly.

## 09 / Common Faults and Solutions

No.	Issue	Cause Analysis	Solution
1	Rough sliding or damping failure	Slide damper failure Slide spring damage Dried lubricant Deformed/damaged rail Non-parallel rail installation Incorrect basket installation Obstruction in slide track	Replace slide rail damper Replace slide rail spring Apply lubricant Replace slide rail Adjust rail alignment Reinstall basket correctly Clear foreign objects
2	Door panel not closing tightly/ failing to close	Misaligned rails Improper door coupler installation Deformed base Warped door panel Bent pull-out basket Overloaded Loose door fastening screws	Adjust rail position Realign door coupler Replace base Replace door panel Replace basket Reduce load Tighten mounting screws
3	Stains/odors on basket	Long-term residue buildup	Clean basket promptly
4	Squeaking during operation	Loose rotating connectors Friction from prolonged use	Tighten all joints Lubricate moving parts